# volumetric and viscometric studies of Sucrose in Aqueous Medium,5%&10% Ethanol- Water Medium at 313.15 K with different concentration.

Javed Khan<sup>1</sup> and Madhuri Bhise<sup>2</sup>

Dept. of Chemistry Govt. Vidarbha Institute of Sci. and Humanities, Amravati, Maharastra India Corresponding Author: Javed Khan

**Abstract:** Density and viscosity studies of sucrose in aqueous medium and in non aquoues 5%, 10% ethanol -water medium were measured at 313.15 K. The concentration ranges were 0.1-0.9 M. The results obtained from volumetric and viscometric studies measurement have been utilized to calculate the Falkenhagen coefficient A and Jones-Dole coefficient B. Each data are interpreted in the light of solute-solvent and solute-solute interactions.

Keyword :- Sucrose, Ethanol, Water, density, viscosity, jones-Dole coeff.B, Falkenhagen coeff.A.

\_\_\_\_\_

Date of Submission: 05-09-2018

Date of acceptance: 20-09-2018

### I. Introduction

Sucrose is a non reducing sugar and in this respect it differs from the other disaccharides. Moreover sucrose does not form an osazone does not exist in anomeric forms and does not show mutarotation in solution.All these facts indicate that sucrose does not contain a free aldehyde or ketone group.vicosity of concentrated aqueous electrolyte solution at various concentration[1] .volumetric and viscometric studies of solute –solvent and solute-solute interactions of glycine in aqueous in aqueous electrolytes at  $30^{\circ}$  c[2]. The viscometric study of lysozyme solution with sugar and urea at various tempratuer[3]. The behavior of electrolyte in aqueous carbohydrate solutions recently has been a subject of interest [4-6].viscosity and its derived parameters provide valuable information regarding the shape and size of molecules[8].viscometric and thermodynamic studies of interactions in ternary solutions containing sucrose and aqueous alkali metal halides at 293.15,303.15,313.15 k[9] Volumetric and transport properties of aqueous sulphuric acid[17], study of solutesolute and solute-solvent interactions of L-threonine in aqueous-glucose solutions at different temperetures by using volumetric and viscometric methods[19]. Aim of present work , much or large work has not been done on sucrose in different percentage of non aqueous medium viscometrically. Hence present work is try to make systematic study of sucrose in aqueous and non aqueous medium of different percentage and concentration ranges 0.1-0.9 M[water-ethanol] to determine viscosity and jones-Dole coefficient B,Falkenhagen coefficient A .This work also deals with the study of interaction between solute-solvent and solute-solute in different medium and different concentration at 313.15 k.

# **II.** Materials And Methods

All the chemicals were A.R. grade sucrose from merck chemicals purity of 99.8% ethanol from S.D. fine chemical minimum assay of 99.9% which are used without further purification .The purities of the chemicals were checked by density determination at 313.15 k the uncertainty is less than  $\pm 1 \times 10^{-4}$  gcm<sup>-3</sup> The water used for the preparation of solution was double distilled.The molar aqueous and non Aqueous solution of sucrose, 5%,10 % ethanol-water system were prepared by utilizing digital electronic balance[Model-HR300 japan]. of concentration 0.1-0.9 M at temperature 313.15 K.

The density of aqueous and non aqueous solution of sucrose were measured by utilizing specific gravity bottle by relative measurement method with accuracy of  $\pm 0.1 \text{ kgm}^{-3}$ .

The viscosities were measured by means of ostwald's viscometer which was kept in equilibrium with elite thermostate water bath ( $\pm 0.1^{\circ}$ c).sucrose solution of different concentration were prepared in aqueous medium, 5%, 10% ethanol-water medium.For each measurement sufficient time was allotted to attend thermal equilibrium in thermostate.

# **III. Results And Discussion**

To measure density and viscosity in different concentration of sucrose solution with the following mathematical equation.

Where

 $\hat{\eta}_{=}\frac{d_{s}\times t_{s}}{d_{w}\times t_{w}}x\;\hat{\eta}_{w}-\dots\dots(1)$ 

 $\dot{\eta}$ = Viscosity of sucrose solution. d<sub>s</sub>=Density of sucrose solution.

 $t_s$  =Time flow of sucrose solution.

d<sub>w</sub> =density of water.

t<sub>w</sub>=time flow for water

 $\dot{\eta}_w = Viscosity of Water$ 

The relative viscosity of sucrose in aqueous medium and 5% and 10% ethanol-water medium at different concentration at a temperature 313.15 K are listed in table (1) (2) and (3).

The viscosity data have been interpreted by Jones-Dole equation [18].

 $(\eta r-1)/\sqrt{c} = \eta sp\sqrt{c} = A + B\sqrt{c}$  -----(2). Where,

A=Falkenhagen coefficientB=Jones- Dole coefficient

C = Concentration

The Falkenhagen coefficient (A) measures the solute- solute interaction while Jones-Dole coefficient (B) measures the solute- solvent interaction.

Conc.	Temp. in K.	$\rho_{(\text{kgm}^{-3})}$	η	ηr
0.1	313.15	1.0020	0.8756	1.0806
0.2	313.15	1.0101	1.0334	1.3048
0.3	313.15	1.0200	1.1878	1.4973
0.4	313.15	1.0299	1.3324	1.6470
0.5	313.15	1.03963	1.4798	1.7926
0.6	313.15	1.04885	1.6144	1.9027
0.7	313.15	1.06647	1.7593	2.0269
0.8	313.15	1.07992	1.8930	2.1251
0.9	313.15	1.0999	2.0232	2.213

Table 1. Density, Viscosity, relative viscosity of Sucrose of aqueous solution

Table 2 : Density,	Viscosity, reletive	e viscosity of 5%	6 Ethanol-Water	Solution of Sucrose
• /		•		

Conc.	Temp. in K.	$\overline{\rho}_{(kgm^{-3})}$	η	ηr
0.1	313.15	1.01836	0.8945	1.3707
0.2	313.15	1.02777	1.1.0641	1.6306
0.3	313.15	1.03887	1.2189	1.8678
0.4	313.15	1.04911	1.3762	2.1088
0.5	313.15	1.06888	1.5288	2.3426
0.6	313.15	1.09977	1.6693	2.5579
0.7	313.15	1.1111	1.8105	2.7743
0.8	313.15	1.12448	1.9558	2.9969
0.9	313.15	1.14934	2.0934	3.2027

Conc.	Temp. in K.	$\overline{\rho}_{(\text{kgm}^{-3})}$	η	ղբ
0.1	313.15	1.02866		
			0.9399	1.4402
0.2	313.15	1.04791		
			1.1213	1.7182
0.3	313.15	1.06977		
			1.2970	1.9874
0.4	313.15	1.0888		
			1.4731	2.2573
0.5	313.15	1.1112		
			1.6244	2.4891
0.6	313.15	1.14553		
			1.7882	2.7401
0.7	313.15	1.17866		
			1.9326	2.9614
0.8	313.15	1.18984		
			2.0992	3.2167
0.9	313.15	1.22666		
			2.2578	3.4597

Table 3 : Density Viscosity, relative viscosity of 10% Ethanol-Water Solution of Sucrose.

 Table-4 A=Falkenhagen coefficient,B=Jones-Dole coefficient values at 313.15 k.

system	Α	В
Water+Sucrose		
	0.504345	1.810227
5% water+Ethenol	0.590345	1.83405
10%Water+Ethenol	0.771209	1.902623

The experimental results obtained from density, viscosity of aqueous solutions of sucrose at 313.15K of concentration 0.1-0.9 M are listed in Table(1) while for non aqueous solution of sucrose such as 5%, 10%, ethanol-water medium at 313.15 K are listed in Table(2) and (3) respectively. Viscosity increases as shown in table (2) and (3) due to increasing the concentration furthermore velocity of ions decreases and it is concentration dependent. therefore solute-solute interaction is more for table (3) Falkenhagen coefficient A and Jones –Dole coefficient B are listed in table(4) it indicate that solute- solvent interaction is more in table(4) when percentage of ethanol increased while solute –solvent interaction is weak for table(1).

### **References :-**

- [1]. Bary R.B and Irving F.M .viscosities of concentrated aqueous electrolyte solution at various concentration. j.phy.chem.1970,74,1056.
- [2]. Yasmin akhtar. volumetric and viscomeric studies of solute-solute and solute- solute interactions of Glycine in aqueous in aqueous electrolytes at 30<sup>o</sup> c. international j.of science, Technology and society 2015,3,1-2,6-9
- [3]. Jamal Akhter Siddique, Sheetal Sharma, Saeeda Navi. Viscometric study of lysozyme solution with sugur and urea at various temperature. Arabian journal of chemistry 2016, 9 S1040-S1043.
- [4]. Dash UN, Das BB, Biswal UK Pand T, Standard potentials of silver/silver azid and silver/silver thioesanateelectroutes in water + acetic acid mixture, at 25°C, Journal electrochim soc. India. M 1985, 34(2); 115
- [5]. Morel J P, Thermet C, Desroriers NM, interoctions between cukions and sugars, Free energy of interaction of calcium ion with some aldopentoses and aldohexoses in water at 298.15 K. journal chem. Soc. Faraday Transi. 1988;84:2567
- [6]. Wimby, J.M.: Berntsson, T.S. Viscosity and Density of Aqueous Solutions of LiBr, LiCl, ZnBr<sub>2</sub>, CaCl<sub>2</sub> and LiNO<sub>3</sub>. 2. Two Salt Solutions J. Chem. Eng. Data 1994, 39
- $\label{eq:constraint} [7]. \qquad Inoue, N. h_2O/LiBr+C_2H_2(OH)_2 \ System \ and \ H_2O/LiBr+ZnCl_2 \ System. \ Reito \ 1993. \ 68-719-723.$
- [8]. Stokes R.H., Mills R. viscosity of electrolytes and releted properties., 1965, pergamon, London.
- [9]. Reena Gupta, Mukhtar Singh., Visometric and thermodynamic studies of interactions in ternuary solutions containing sucrose and aqueous alkali metal halides at 293.15, 303.15 and 313.15 K. Journal Chem. Sci. 2005, 117, 275-285
- [10]. Iyoki, S. Iwasaki, S. Kuriyama, Y: Uemura T. Densitie, Viscosities and Surface Tensions for the Two Ternary systems H<sub>2</sub>O+ LiBr+ LiI and H<sub>2</sub>O+LiCl+LiNo<sub>3</sub>. J.Chem. Eng. Data 1993, 38, 302-305.
- [11]. Inoue, N.  $H_2O/LiBr + C_2H_2(OH)_2$  System and  $H_2O/LiBr + ZnCl_2$  System. Reito 1993, 68-719-723.
- [12]. Iizuka, H.; Nagamatsuya, K.; Takahashi, K.; Kuroda, J.: Takigawa T. New Working Fluid Containing Ethylene Glycol for Air Cooled Chiller- 2. Proc. 3<sup>rd</sup>Int Energy Agency Heat Pump Conf.1990.
- [13]. Iizuka, H.; Nagamatsuya, K.; Takahashi, K.; Kuroda, J.: Takigawa T. Some Properties of Absorption Fluid Containing Ethylene Glycol for Air cooled Chiller, Proc. Int. Gas Res. Cong. 1989.
- [14]. Welton, T. Room Temperature Ionic Liquids. Solvents for Synthesis and Catalysis. Chem. Rev 1999, 99, 2071-2083.
- [15]. Hallett, J.P.; Welton T. Room Temperature Ionic Liquids: Solvents for Synthesis and Catalysis. 2, Chem. Rev.2011, 111,3508-3576.
- [16]. Urszula, D.; Andzrej, A. Activity Coefficients at Infinite Dilution Measurements for Organic Solutes and Water in the Ionic Liquid 1-Butyl-3-methylmidazolium Triluromethanesulfonate. J.Phys. Chem. B.2008,112-11100-11105.
- [17]. 17 B.Joshi, N.D., Kandpal, volumetric and transport properties of aqueous sulphuric acid., j.physical and chemistry of liquids., 2007, 45, 463-470.

- [18]. G.Jones,M.J.Dole,The viscosity of aqueous solutions of strong electrolytes with special reference to barium chloride.J.Am.soc.1929,51,10,2950-2964.
- [19]. Anil kumar nain. study of solute-solute and solute-solvent interactions of L-threonie in aqueous-glucose solutions at different temperetures by using volumetric methods.j.chem.thermodynamics,2013,60,98-104.

Javed Khan "volumetric and viscometric studies of Sucrose in Aqueous Medium,5% &10% Ethanol- Water Medium at 313.15 K with different concentration. "IOSR Journal of Applied Chemistry (IOSR-JAC) 11.9 (2018): 23-26.

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_