# Acute Hepatitis Induced Pancreatitis; Uncommon Etiology of A Common Disease

# Munmun Das (sarkar)<sup>1</sup> Subhadip Basak, <sup>2</sup>Tapabrata Das<sup>2</sup>, Sabyasachi Roy<sup>2</sup>, Amlan Kanti Biswas<sup>3</sup>, Raja Bhattacharya<sup>4</sup>

<sup>4</sup>Assistant Professor, Department of Medicine, Medical college Kolkata, 88 college street, Kolkata-700073, West Bengal, India

<sup>2</sup>Post Graduate Trainee, Department of Medicine, Medical college Kolkata, 88 college streetKolkata- 700073, West Bengal, India

<sup>3</sup> RMO and clinical tutor, Department of Medicine, Medical college Kolkata, <sup>1</sup>Associate professor, Department of Microbiology, Calcutta National Medical College, Kolkata. Corresponding Author: Raja Bhattacharya.

.....

Date of Submission: 25-01-2019 Date of acceptance: 07-02-2019

## I. Introduction

Acute pancreatitis is a life threatening condition. Biliary lithiasis and alcoholism are responsible for 70-80% of the cases. Several viral infections like Mumps, Coxsackie B , EBV & measles have been implicated as etiological factors as they cause oedema of Ampulla of Vater and ducts, mechanically obstructing the flow of pancreatic fluid & direct cell injury of pancreatic acini, leads to leakage of intracellular enzymes (1,2).But an association between viral hepatitis and acute pancreatitis is uncommon, mostly recorded in adolescents (3).

#### II. Materials And Methods

A 15 year old female was admitted with complains of fever for 7 days followed by yellowish discolouration of eyes & urine, with passage of clay colored stool & generalised itching for 15 days, History was not suggestive of autoimmune disorders, TB, with no significant drug /allergy, transfusion history.

She was anaemic, icteric and developed diffuse abdominal pain involving the right hypochondrium and epigastrium, alongside tender hepatomegaly, whereas Spleen was not palpable throughout course of stay, with no evidence of ascites and generalised lymphadenopathy.

*IgM anti HAV-Reactive (1.68; Reference: >0.8, Positive)* 

Whereas IgM anti HEV, HIV, HbsAg and Anti HCV tests were-Non Reactive CBC showed neutrophilic leucocytosis amd amylase lipase was respectively 893 and 642..

UrineRE/ME nornal study

**USG-whole abdomen** showed hepatomegaly with normal echotexture

**MRCP** -Hepato-splenomegaly with cholecystitis, CBD – normal in calibre,

no intra-luminal lesion, mild ascites, pancreas is bulky – suggestive of acute pancreatitis.

#### CECT abdomen

Hepato-splenomegaly with mild diffuse pancreatic enlargement. CT severity Index-5

Hence she was diagnosed as a case of acute pancreatitis due to acute hepatitisA infection.

A similar scenario of a 16 year old boy was encountered in which he had fever for about 1 week, left upper quadrant pain, and icterus.he was suspected as a case of acute pacreatitis but the etiology remained unknown.hence thorough workup was done which revealed that he was Hepatitis A igM positive.LFT showed transaminitis and increased amylase and lipase >800 and >600 respectively.

**CECT WHOLE ABDOMEN**: showed bulky pancreas and peripncreatic collection, suggestive of pancreatitis. The patient was managed conservatively and responded well.

# **III. Discussion**

The mechanism of pancreatic damage by viruses is unknown. The cytopathic effect may be direct or it may be mediated through the patients immune response. It has been also suggested that viral infections cause edema of ampulla of vater and pancreatic ducts leading to pancreatitis as a result of obstruction to the flow of pancreatic fluid.

DOI: 10.9790/0853-1802021011 www.iosrjournals.org 10 | Page

## IV. Conclusion

Acute non fulminant viral hepatitis is usually a benign disease which gets resolved with time and the patient recovers completely in almost all cases. But when it is complicated with pancreatitis, the disease course becomes variable and the patients who are in pediatric and geriatric age group may suffer for longer duration which increases the morbidity and even moreality. Hence although very few cases of acute hepatitis A are complicated with pacreatitis, but in case of unknown etiology of pacreatitis with the background od trasaminitis and jaundice of short duration, a diagnosis of acute viral hepatitis induced pancreatitis should ne excluded.

# References

- [1]. G Ray, D Bandopadhyay. Severe acute pancreatitis complicating acute hepatitis A in a child. The Internet Journal of Pediatrics and Neonatology. 2008 Volume 11 Number 1.
- [2]. Jain P, Nijhawan S, Rai RR, Nepalia S, Mathur A. Acute pancreatitis in acute viral hepatitis. World J Gastroenterol. 2007 Nov 21:13(43):5741-4.
- [3]. Moleta, D.B.; Kakitani, F.T.; Lima, A.S.; Franca, J.C.B. & Raboni, S.M. Acute pancreatitis associated with acute viral hepatitis: case report and review of literature. Rev. Inst. Med. trop. S. Paulo, 51(6): 349-351, 2009.

Raja Bhattacharya.. "Acute Hepatitis Induced Pancreatitis; Uncommon Etiology of A Common Disease." IOSR Journal of Dental and Medical Sciences (IOSR-JDMS), vol. 18, no. 2, 2019, pp 10-11.

DOI: 10.9790/0853-1802021011 www.iosrjournals.org 11 | Page