## IOSR Journal of Dental and Medical Science (IOSR-JDMS)

#### **Editor Board**

- Rovena Bode,
- Medical University of Tirana, Algeria
- Prof (DR) Kumari Sandhya Rajendra Institute Of Medical Sciences (RIMS), India
- ✤ Ahmad Al Nashar Al Andalus University, Syria
- Dr. Kapil Amgain Karnali Academy of Health Sciences (KAHS), Nepal
- Prof. (Dr.) .Shamim Akhtar NKP SIMS RC & LMH Nagpur, India
- \* Nameer Faiz Newham University Hospital, London
- Mehboob Alam Pasha Quest International University Perak, Malesiya
- Oleksandr Romanchuk International Humanitarian University, Uganda ✤ Abu-Hussein Muhamad
- Arab -American University, Germany
- \*\* Rabbanie Tariq University of Kashmir, India
- Mehdi Ebrahimi Prince Philip Dental Hospital, Hong Kong
- Dr. Syeed Mehbub Ul Kadir
- Bangladesh Eye Hospital and Institute, Bangladesh Dr. Kantilal daga \*\*
- Dr Vmmedical College Solapur, India
- Dr olorunfemi oluwadare University of Port Harcourt, Nigeria

### **Contact Us**


Website : www.iosrjournals.org Email : support@iosrmail.org

#### **Indexing:**

DOHA, Qatar



**IOSR** Journals International Organization



# IOSR Fournal of Dental and Medical Sciences

Volume : 19 Issue : 3 Series-7	p-ISSN : 2279-0861
nts:	
port: Rare case of self resolving Gall stone ileus	01-03
y The Role Of Various Anatomical Landmarks For copic Cholecystectomy With Particular Reference T e's Sulcus	
and Guided Aspiration Cytology of Abdominal Mass topathological Corroboration- A Prospective Study	
ns of Tibial Open Fractures Treated by IllizarovTech in a tertiary care hospital"	nnique: 18-22
estigation of the Effect of Age, Severity of Hyperte ation of Hypertension for Erectile Dysfunction"	nsion 23-29
ociation between Serum Cholesterol level and BMI bung Adult Students: A study in a tertiary care hos Bangladesh.	
on Ripasa Scoring System in Predicting Acute Ap	opendicitis 35-45
n Intra-Vesicale D'un Dispositif Intra-Uterin : A pro	opos 46-48
ic Outcomes and patient Satisfaction after Volume ement Oncoplastic Breast Surgery for Early Breast - a study	
ate And Compare The Marginal Fit And Internal ion Of Cast Copings Fabricated With Pattern Wax copolymerized Pattern Resin Materials Invested At t Intervals Of Time- An In-Vitro Study	54-66

All Papers are indexed in Index Copernicus