

Programming Problem Objective Function And Constraints Are Posynomial

Author

Abstract

In this chapter to explain a nonlinear problem in optimization technique and also explain algorithm and solve the problem. Geometric Programming is a mathematical optimization technique used to minimize a special type of function called a posynomial, which is a sum of monomials products of variables with real exponents and positive coefficients. Although geometric programming problems appears nonlinear, it can be transformed into a convex optimization problem through a logarithmic change of variables, making it easier to solve. The paper is describing an older method made by Avriel's team. This method is good at solving a particular kind of optimization problem that uses posynomials

Keywords: *Inequality, recursive, unrestricted, primal function, dual function. Posynomial, monomials products.*

Date of Submission: 08-11-2025

Date of Acceptance: 18-11-2025

I. Introduction

Geometric programming is a type of mathematics method used to solve complex problems where you want to find the best solution, like the smallest cost or highest performance. Since the 1960s, it has been used in many fields, mechanical and civil engineering to design strong and efficient machines, buildings, and structures chemical engineering to make chemical processes work better and more safely probability and Statistics to solve problems involving chance and data, finance and economics, to make better investment or budgeting decisions, control theory, to control systems like robots, vehicles, or industrial machines smoothly and efficiently, circuit design, to design faster and smaller electronic circuits like in phones and computers. Information theory, Coding, and Signal processing, to improve how data is sent, stored, and understood like in digital communication, wireless networking, to make wireless systems like wi-fi or mobile networks faster and more reliable of monomial terms with positive coefficients and positive variables. Each monomial is a product using this type of formula allows engineers to apply mathematical techniques based on geometric means and other geometric ideas using this type of formula allows engineers to apply mathematical techniques based on geometric means and other geometric concepts.

The main difference is that linear programming works with problems where everything both the goal objective and the rules constraints in a straight-line linear form. On hand, geometric programming handles more complicated problems that aren't linear at first but can be changed into a simpler convex form by using special mathematics tricks, like changing the variables. Geometric Programming was developed to help solve complex engineering design problems. When engineers design something, they often have to choose between many different options. Their goal is to find the best possible balance usually a design that does its job well but also costs the least to do this; engineers adjust certain parts of the design called adjustable parameters while keeping others fixed. Three main benefits of using Geometric Programming, it gives a clear overall view of which design factors are more or less important in this method, all parts of the design are described using special kinds of formulas called generalized positive polynomials, which include only positive values.

Geometric Programming is a mathematical optimization technique used to minimize a special type of function called a posynomial, which is a sum of monomials products of variables with real exponents and positive coefficients. Although geometric programming problems appears nonlinear, it can be transformed into a convex optimization problem through a logarithmic change of variables, making it easier to solve and ensuring a global optimum. Geometric programming problems also has a strong duality property, allowing the original primal problem to be converted into a simpler dual problem with linear constraints, whose solution provides insights into the original problem. This method is widely applied in engineering design fields such as electrical circuit design, structural optimization, and chemical engineering, where costs and resources often follow posynomial relationships

II. Methodology Of Nonlinear Programming Problem

In an engineering design the total cost G is a sum of component costs u_j . Thus

$$G = u_1 + u_2 + \dots + u_n$$

Generally, the component costs are expressed as

$$u_j(x) = c_j x_1^{a_{1j}} x_2^{a_{2j}} \dots x_m^{a_{mj}}, (j = 1, 2, \dots, n)$$

where $c_j > 0, x_i (i = 1, 2, \dots, m) > 0$ and $a_{ij} (i = 1, 2, \dots, m; j = 1, 2, \dots, n)$ are unrestricted in sign. The function G is usually referred to as posynomial.

To obtain the geometric-arithmetic mean inequality, we proceed

$$\text{Max. } f(x) = \left(\frac{C}{n}\right)^n$$

It then follows that Using the method of recursive equation we find that

$$f(x) \leq \left(\frac{C}{n}\right)^n$$

$$\prod_{j=1}^n x_j \leq \left(\sum_{j=1}^n x_j / n\right)^*$$

Taking the n th root of each side, the inequality becomes

$$\left(\prod_{j=1}^n x_j\right)^{\frac{1}{n}} \leq \frac{1}{n} \sum_{j=1}^n x_j$$

the geometric-arithmetic mean inequality and is fundamental for the development of geometric programming, so the unconstrained geometric programming problem is defined as

Minimize $f(x) = \sum_{j=1}^n r_j \prod_{i=1}^m x_i^{a_{ij}}$ where $c_j (j = 1, 2, \dots, n) > 0, x_i (i = 1, 2, \dots, m) > 0$ and $a_{ij} (i = 1, 2, \dots, m; j = 1, \dots, n)$ are unrestricted in sign. Now using the geometric-arithmetic mean inequality the objective function defined above can be re-written as

$$u_1 + u_2 + \dots + u_n \geq \left(\frac{u_1}{\zeta_1}\right)^{\zeta_1} \left(\frac{u_2}{\zeta_2}\right)^{\zeta_2} \dots \left(\frac{u_n}{\zeta_n}\right)^{\zeta_n}$$

where $u_s = u_j(x)$ for $j = 1, 2, \dots, n$ and the weights $\zeta_j (j = 1, 2, \dots, n)$ satisfy the relation

$$\zeta_1 + \zeta_2 + \dots + \zeta_n = 1$$

The left-hand side of the inequality is known as primal function whereas the right-hand side is called the pre dual function. Since $u_j = c_j \prod_{i=1}^m x_i^{a_{ij}}$, the pre dual function can be written as

$$= \prod_{j=1}^n \left(\frac{c_j}{\zeta_j}\right)^{\zeta_j} \prod_{i=1}^m x_i^{\sum_{j=1}^n a_{ij} \zeta_j}$$

Now, making use of the conditions $\sum_{j=1}^n a_{ij} \zeta_j \triangleq 0, (i = 1, 2, \dots, m)$ together with the normality condition $\sum_{j=1}^n \zeta_j = 1$, the above expression reduces to

$$u_1 + u_2 + \dots + u_n \geq \left(\frac{c_1}{\zeta_1}\right)^{\zeta_1} \left(\frac{c_2}{\zeta_2}\right)^{\zeta_2} \dots \left(\frac{c_n}{\zeta_n}\right)^{\zeta_n}$$

$$f(x) \geq \phi(\zeta),$$

where ζ is a vector with component $\zeta_1, \zeta_2, \dots, \zeta_n$.

$$\text{Minimum } f(x) = \text{maximum } \phi(\zeta)$$

The original problem of minimization is referred to as primal one and the related problem of maximization as its dual. The method of solving unconstrained geometric programming problem is well defined.

Minimize $f(\mathbf{x}) = c_1 x_1 x_2 x_3 + c_3 x_1 x_2^{-1} + c_3 x_2 x_3^{-2} + c_4 x_1^{-3} x_2$
where $c > 0, x_i > 0$;

Let $u_1 = c_1 x_1 x_2 x_3, u_2 = c_3 x_1 x_2^{-1}, u_3 = c_3 x_2 x_3^{-2}$ and

$$u_4 = c_4 x_1^{-3} x_2$$

Substituting the value of u_1, u_2, u_3, u_4 in the geometric-arithmetic mean inequality then this inequality gives

$$\prod_{j=1}^4 \left(\frac{c_j}{\zeta_j}\right)^{\zeta_j} x_1^{(\zeta_1 + \zeta_2 - 3\zeta_3)} x_2^{(\zeta_1 - \zeta_2 + \zeta_3)} x_3^{(\zeta_1 - 2\zeta_2 + \zeta_4)} < f(x)$$

Let us set the powers of x_i for each i equal to zero. Then the right-hand side of the above inequality will become independent of x_i . For this we require $\zeta_1 + \zeta_2 - 3\zeta_3 = 0, \zeta_1 - \zeta_2 + \zeta_3 = 0$ and $\zeta_1 - 2\zeta_3 + \zeta_4 = 0$

Now, the orthogonality-normality conditions

$$\zeta_1 = \frac{1}{5}, \zeta_2 = \frac{2}{5}, \zeta_3 = \frac{1}{5} \text{ and } \zeta_4 = \frac{1}{5}.$$

then

$$\sum_{j=1}^4 u_j = N \sum_{j=1}^4 \zeta_j = N$$

Minimum

$$f(\mathbf{x}) = f(\mathbf{x}_0) \equiv N$$

Using these values the geometric-arithmetic mean inequality reduces to

$$\left(\frac{c_1}{1/5}\right)^{\frac{1}{5}} \left(\frac{c_2}{2/5}\right)^{\frac{2}{5}} \left(\frac{c_3}{1/5}\right)^{\frac{1}{5}} \left(\frac{c_4}{1/5}\right)^{\frac{1}{5}} < f(x)$$

$$u_j = \zeta_j f(x_0)$$

we shall define new variables y_i by substituting

$$y_i = \log x_i, i = 1, 2, 3$$

We have

These are four equations in three unknowns and are not linearly independent. Since any three of them are linearly independent, the values of y_i and hence of x_i are uniquely determined. Now substituting $c_1 = 16, c_2 = 4, c_3 = 2$ and $c_4 = 8$, the solution of these equations gives us $x_2 = 1, x_3 = 0.5$ and $x_3 = 0$ which gives us to complete solution for the given problem. The original problem of minimization is referred to as primal one and the related problem of maximization as its dual. The method of solving unconstrained geometric programming problem is well defined. They try to find the best settings for these adjustable parts so that the final design is optimal meaning it works well and is as low-cost as possible to help with this Geometric Programming was created as a quick and systematic method for designing cost-effective systems. In this method, all parts of the design are described using special kinds of formulas called generalized positive polynomials, which include only positive values

References

- [1]. Abadle, J. E. D. (1967), Non- LINEAR Programming, New York: INTERCEDENCE.
- [2]. Dano, S. (1975), Non- LINEAR Programming AND Dynamic Programming New York: Springer-Verlag
- [3]. Hadley, G. (1964), Non- LINEAR Programming AND Dynamic Programming Massachusetts: Addison-Wesley
- [4]. Hillier, F. S., & Lieberman, G. J. (N.D.). Introduction TO Operations Research.
- [5]. L.D.G. (1973), Introduction TO Linear AND Non- LINEAR Programming AND Massachusetts: Addison-Wesley
- [6]. Kanti, O. R., Swarup, K., Gupta, P. K., & Mohan, M. (N.D.). In Operations Research (PP. 812-817). Sultan AND Sons.
- [7]. C.Chu AND D.F. Wong: Vlsi CIRCUIT PERFORMANCE OPTIMIZATION BY GEOMETRIC PROGRAMMING, Annals OF Operations Research 105, PP. 37-60, (2001).
- [8]. M. Vankova. Algorithms FOR THE Solution OF THE Quadratic Programming Problem. University OF Port Elizabeth, January 2004.
- [9]. C. S. Beightler AND D. T. Philips, Applied Geometric Programming. W
- [10]. K. Arrow AND G. Debreu, "Existence OF AN EQUILIBRIUM FOR A COMPETITIVE ECONOMY," Econometric A, VOL. 22, PP. 265–290, 1954. [6] M. Avriel, Advances.